Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

# INDEX TO VOL. II.


A.

Acanthophora, 359.
Acarphæa artemisiæfolia, 74.
Acerates atropurpurea, 76.
cordifolia, 76.
Acetabularia crenulata, 378.
Acrotylus clavatus, 372.
Agarum, 356.
Ahnfeltia, 369.
Alaria, 355.
Alcohol, Interferential Constant of, 404.
Algæ of United States, List of Marine, 351.
Algebra, Linear, Use and Transformations of, 395.
Algebras, Multiple, Resolutions of, 392.
Application of Logical Analysis to, 392.
Alsidium, 359.
Amansia multifida, 359.
Amarantus leucocarpus, 347.
Powellii, 347.
Ammonia-Cobalt bases, Researches on, 1.
Ampère's Theory, Jamin's Objections answered, 445.
Amphiora, 364.
Amsinckia, 53.
Douglasiana, 54.
echinata, 54.
intermedia, 54.
lycopsoides, 53, 54.
spectabilis, 53, 54.
tessellata, 54.
vernicosa, 54.
Amygdalus microphylla, 71.
Anadyomene flabellata, 378.
Anchusa Virginica, 51.
Antiphytum, 54.
floribundum, 55.
heliotropoides, 54, 55.
linifolium, 54.
Mexicanum, 54.
Walpersii, 54.
Armatures, Effects of, on Electromagnets, 385.
Arthrocardia frondescens, 334.
Arthrocladia villosa, 354.
Asarum caudatum, 346.
Hartwegi, 346.
Hookeri, 346.
Ascothamnion intricatum, 378.
Asperococcus, 357.
Astragalus episcopus, 346.
Pulsiferi, 69.
sesquiflorus, 346.
Thompsonæ, 345.
Audibertia Clevelandii, 76.

B.

Bangia, 378.
Biographical Notices:—
Friedrich W. A. Argelander, 505.
Élie de Beaumont, 507.
Benjamin R. Curtis, 476.
George Derby, 478.
Sir William Fairbairn, 510.
François P. G. Guizot, 511.
Francis C. Lowell, 480.
Sir Charles Lyell, 513.
Charles G. Putnam, 481.
Nathaniel B. Shurtleff, 482.
James Walker, 485.
Jeffries Wyman, 496.
Blodgettia confervoides, 378.
Borraginaceæ, Notes on, 48.
Bostrychia, 363.

Botryoglossum platycarpum, 365.
Bryopsis, 377.
Bryothamnion Seaforthii, 359.
Butterflies, Historic Sketch of Generic Names, 91.

## C.

Calliblepharis ciliata, 365.
Callithamnion, 375.
Callophyllis, 369.
Calothrix, 380.
Carbonic Disulphide. Interferential Constant of, 401.
Cardamine angulata, 340.
Breweri, 339.
hirsuta, 339.
oligosperma, 339, 340.
paucisecta, 339, 340.
Carduus altissimus, 42.
discolor, 42, 43, 46.
foliosus, 40.
occidentalis, 45.
remotifolius, 47.
undulatus, 42.
Virginianus, 41.
Castagnea, 357.
Caulerpa, 377.
Ceanothus, Revision of, 333.
Americanus, 333.
azureus, 335.
buxifolius, 337.
Californicus, 334.
cordulatus, 337.
crassifolius, 338.
cuneatus, 338.
dentatus, 335, 337.
depressus, 337.
divaricatus, 336.
diversifolius, 335.
Fendleri, 337.
floribundus, 338.
Greggii, 338.
hirsutus, 336.
incanus, 336.
integerrimus, 334, 336.
Lobbianus, 335.
microphyllus, 335.
Nevadensis, 334.
oliganthus, 336.
Oreganus, 334.
ovatus, 334.
papillosus, 337.
prostratus, 339.
rigidus, 339.
Ceanothus sanguineus, 334.
serpyllifolius, 335.
sorediatus, 335, 336.
spinosus, 337.
thyrsiflorus, 334.
Veatchianus, 338.
velutinus, 334.
Centroceras, 373.
Ceramium, 373.
Cercocarpus breviflorus, 346.
intricatus, 346.
Chænactis, 73.
achilleæfolia, 74.
artemisiæfolia, 74.
attenuata, 73, 74.
brachypappa, 74.
carphoclinia, 74.
denudata, 73.
Douglasii, 74.
filifolia, 73.
glabriuscula, 73.
heterocarpha, 73.
lanosa, 73.
macrantha, 74.
stevioides, 74.
tanacetifolia, 74.
tenuifolia, 73.
Xantiana, 74.
Chætomorpha, 379.
Chamædoris annulata, 378.
Champia, 363.
Chantransia, 376.
Chlorodesmis Vaucheriæformis, 377.
Chondria, 359.
Chondrus, 370.
Chorda, 356.
Chordaria, 357.
Chrysymenia, 371.
Chylocladia, 371.
Cirsium acaule, 40.
brevifolium, 42.
Californicum, 46.
canescens, 42.
cernuum, 44.
Coulteri, 45.
diversifolium, 42.
Douglasii, 42, 43.
Drummondii, 40.
edule, 47.
eriocephalum, 46.
foliosum, 40, 46.
Grahami, 43.
heterolepis, 44.
Hookerianum, 42, 43, 46.
horridulum, 40.

Cirsium Lecontei, 39.
muticum, 41.
Neo-Mexicanum, 45.
nivalis, 44.
Nuttallii, 41.
ochrocentrum, 43.
Pitcheri, 42.
pumilum, 40.
remotifolium, 47.
repandum, 39.
scariosum, 48.
stenolepidum, 47.
subcoriaceum, 44.
undulatum, 42, 44.
Wrightii, 41.
Cladophora, 379.
Cladostephus, 358.
Claytonia triphylla, 345.
Clematis Fremontii, 339.
Cnicus, Synopsis of, 39.
altissimus, 42.
Andersonii, 44.
Andrewsii, 45.
Arizonicus, 44.
arvensis, 39.
Breweri, 43.
Californicus, 46.
carlinoides, 48.
cernuus, 44.
discolor, 42.
Drummondii, 40.
edulis, 47.
eriocephalus, 46.
foliosus, 40.
glaber, 41.
heterolepis, 44.
Hookerianus, 46.
horridulus, 40.
lanceolatus, 39.
Lecontei, 39.
muticus, 41.
Neo-Mexicanus, 45.
Nuttallii, 41.
occidentalis, 45.
Parryi, 47.
Pitcheri, 42.
pumilus, 40.
quercetorum, 40.
remotifolius, 47.
repandus, 39.
undulatus, 42.
Virginianus, 41.
Wrightii, 41.
Cobalt, Hexatomic Compounds of, 1.
Croceocobalt, 4.
Flavocobalt, 25.
Fuscocobalt, 12.
Praseocobalt, 11.
Purpureocobalt, 32.
Xanthocobalt, 26.
Octamin series, 4.
Erdmann's salts, 10, 13.
Fischer's salt, 17.
Fremy's salts, 12.
Kunzel's hyposulphate, 12, 13.
Sadler's salts, 14.
Codium tomentosum, 377.
Coldenia, 48.
Nuttallii, 48.
Palmeri, 48.
Collinsia Greenei, 75.
Committees, 464.
Communications from Messrs. Amory, H., and F. Minot, 308, 474.
Cooke, J. P., Jr., 451, 468, 475.
Cooke, J. P., Jr., and F. A. Gooch, 453, 466, 475.
Crosby, W. O., 425, 475.
Farlow, W. G., 351, 474.
Gibbs, W., 1, 401, 466, 471, 474.
Gray, A., 39, 312, 466, 474.
Hayes, A. A., 294, 472.
Hodgkins, W. C., and J. H. Jennings, 387, 474.
Hunt, J. S., 465.
Jacques, W. W., 389, 445, 474, 475.
Peirce, B., 395, 475.
Peirce, B. O., and E. B. Lefavour, 385, 474.
Peirce, C. S., 392, 473, 475.
Pickering, E. C., 79, 465, 466.
Pickering, E. C., and D. P. Strange, 428, 432, 475.
Pickering, E. C., and C. H. Williams, 300.
Rogers, W. A., 468, 475.
Safford, T. H., 82, 468, 475.
Scudder, S. H., 91, 468.
Shaler, N. S., 473.
Trowbridge, J., 381, 473.
Watson, S., 333, 473.
Williams, C. H., 421, 475.
Communications, Extra copies to Authors, 465.
Conanthus, 312, 329.
aretioides, 329.
Constantinea Sitchensis, 370.
Corallina, 364.

Cordylecladia, 368.
Corydalis Caseana, 69.
Corynomorpha clavata, 372.
Cosmanthus, 320.
grandiflorus, 321.
Mexicanus, 321.
parviflorus, 321.
viscidus, 321.
Costaria Turneri, 355.
Croceocobalt, 12.
Auro-chloride, 9.
Chloride, 6.
Chromate, 8.
Dichromate, 8.
Hyperiodide, 7.
Nitrate, 2, 7.
Platino-chloride, 9.
Sulphate, 2, 4.
Cronania attenuata, 375.
Cryptonemia, 371.
Cynoglossum pilosum, 61.
Cystoclonium purpurascens, 369.
Cystoseira expansa, 353.
myrica, 354.

## D.

Dasya, 363.
Dasycladus, 377.
Delesseria, 364.
Demagnetization of Iron, Time of, 387.
Densities of Liquids, Measurements of, 411.
Desmarestia, 354.
Dictyoneuron Californicum, 355.
Dictyosiphon fœniculaceus, 357.
Dictyosphæria favulosa, 378.
Dictyota, 356.
Digenia simplex, 360.
Donation received, 474.
Draperia, 312, 316.
systyla, 316.

## E.

Echinais carlinoides, 47.
Echinospermum Redowskii, 62.
Ectocarpus, 358.
Elachista fucicola, 358.
Electro-magnets, Effects of Armatures on, 385.
Ellisia, 312, 315.
ambigua, 316.
chrysanthemifolia, 316.
Ellisia membranacea, 316.
microcalyx, 315.
Nyctelea, 316.
ranunculacea, 315.
Emmenanthe, 312, 328.
glaberrima, 329.
glandulifera, 329.
lutea, 328.
parviflora, 328.
penduliflora, 329.
Emplectocladus fasciculatus, 70, 71.
Endocladia muricata, 371.
Enteromorpha, 378.
Erdmann's salt, 10.
Eriodyction, 313, 331.
angustifolium, 331.
crassifolium, 331.
glutinosum, 331.
tomentosum, 331.
Eriogonum Baileyi, 348.
gracile, 348.
Parryi, 77.
spathulatum, 76.
triste, 347.
ursinum, 347.
vimineum, 348.
Eritrichium, 55.
alyssoides, 59.
angustifolium, 59.
aretioides, 56.
Californicum, 56.
canescens, 57.
Chorisianum, 56.
circumscissum, 58.
connatifolium, 56.
crassisepalum, 60.
floribundum, 55.
fulvocanescens, 61.
fulvum, 57.
glomeratum, 61.
heliotropoides, 60.
hispidum, 55, 59.
Jamesii, 60.
Kingii, 60.
leiocarpum, 59.
leucophæum, 61.
micranthum, 58.
multicaule, 60.
muriculatum, 59.
nanum, 56.
oxycaryum, 58.
plebeium, 56.
pterocaryum, 61.
pusillum, 59.
Scouleri, 56.
tenellum, 57.

Eritrichium Texanum, 60.
Torreyi, 58.
villosum, 56.
virgatum, 61.
Erythrotrichia, 378.
Eucheuma isiforme, 366.
Eucnide lobata, 71.
Eucrypta, 316.
foliosa, 316.
paniculata, 316.
Euploca, 50.
Euthora cristata, 367.
Eutoca, 322.
albiflora, 321.
Andrieuxii, 321.
aretioides, 329.
brachyloba, 324.
brevifolia, 321.
cephalotes, 325.
Cumingii, 327.
divaricata, 325.
Douglasii, 324.
Franklinii, 324.
glandulosa, 319.
heterophylla, 324.
lutea, 328.
Menziesii, 324.
Mexicana, 321.
multiflora, 324.
parviflora, 321.
patuliflora, 321.
phacelioides, 325.
pimpinelloides, 321.
sericea, 323.
strictiflora, 321.
viscida, 321.
Wrangeliana, 325.
Expert Evidence, Committee on, 471.

## F.

Fellows deceased: —
Benjamin R. Curtis, 466, 476.
George Derby, 466, 478.
Francis C. Lowell, 466, 480.
Charles G. Putnam, 473, 481.
Nathaniel B. Shurtleff, 467, 482.
James Walker, 472, 485.
Jeffries Wyman, 466, 496.
Fellows elected: —
William G. Farlow, 467.
James B. Greenough, 472, 473.
Fellows elected: —
William A. Hammond, 467, 468.
Julius E. Hilgard, 467, 468.
Henry B. Hill, 472, 473.
William James, 472, 473.
James McCosh, 467, 468.
John McCrady, 467, 468.
William P. Trowbridge, 467, 468.
James H. Trumbull, 467, 468.
Sereno Watson, 467.
Francis Wharton, 463.
Charles H. Wing, 467.
Fellows, List of, 518.
Fellows, Associate, List of, 521.
Fischer's Cobalt Salt, 17.
Flavocobalt, 25.
Foci of Lenses placed obliquely, 300.
Foreign Honorary Members deceased: —
Friedrich Wilhelm August Argelander, 505.
Élie de Beaumont, 466, 507.
Sir William Fairbairn, 466, 510.
François-Pierre-Guillaume Guizot, 466, 511.
Sir Charles Lyell, 513.
Foreign Honorary Members elected: —
Joachim Barrande, 472.
Jean Léon Gérôme, 472, 473.
James Prescott Joule, 463, 466.
James Clerk Maxwell, 468, 473.
William Hallowes Miller, 463.
Johann Christian Poggendorff, 463.
Louis Adolphe Thiers, 472, 475.
Robert Virchow, 467.
Foreign Honorary Members, List of, 523.
Fremy's Cobalt Salts, 12.
Fucus, 354.
Furcellaria fastigiata, 371.
Fuscocobalt, 12.

## G.

Gaillardia acaulis, 73.
Gas-burner, Electric regulator for, 456.

Gelidium, 366.
Geographical Society of Paris, 471, 472, 473.
Gigartina, 370.
Gilia filiformis, 75.
Glass plates, Light transmitted by, 389.
Glass ruling, 468.
Glycerine and Alcohol. Interferential Constant, 406.
Glycerine and Water, Interferential Constant, 405.
Gloiopeltis furcata, 371.
Gloiosiphonia capillaris, 372.
Gomphocarpus cordifolius, 76.
purpurascens, 76.
Goniotrichum elegans, 378.
Gracilaria, 365.
Graphical Integration, 79.
Grateloupia, 372.
Griffithsia corallina, 375.
Grinnellia Americana, 364.
Gymnogongrus, 368.

## H.

Halidrys osmundacea, 353.
siliquosa, 353.
Halimeda, 377.
Haliseris, 356.
Hallite, Analysis of, 459.
Atomic Ratio, 461.
Halosaccion, 371.
Halurus equisetifolius, 375.
Halymenia, 371.
undulata, 367.
Heat, Effect on the Magnetic Susceptibility of Iron, 308.
Heliophytum molle, 50.
Heliotropeæ, 49.
Heliotropium, 49.
angustifolium, 49.
bursiferum, 49.
convolvulaceum, 49, 50.
Curassavicum, 50.
Europæum, 49.
fruticosum, 50.
glabriusculum, 50.
glomeratum, 49.
Greggii, 49.
hispidum, 49.
humistratum, 50.
imbricatum, 49.
Indicum, 50.
inundatum, 50.
Heliotropium Leavenworthii, 49.
limbatum, 49.
microphyllum, 49.
myosotoides, 49.
parciflorum, 50.
parviflorum, 50.
phyllostachyum, 49.
polyphyllum, 49.
serpylloides, 50.
tenellum, 49.
Helminthora divaricata, 367.
Hesperochiron, 313, 330.
Californicus, 330.
latifolius, 330.
pumilus, 330.
Hildenbrandtia, 366.
Hormotrichum, 380.
Hydroclathrus cancellatus, 357.
Hydrolea, 313, 331.
affinis, 332.
Caroliniana, 332.
corymbosa, 331.
leptocaulis, 332.
Ludoviciana, 332.
ovata, 332.
quadrivalvis, 332.
Hydroleæ, 313.
Hydrophyllaceæ, Conspectus of, 312.
Hydrophylleæ, 312.
Hydrophyllum, 312, 313.
appendiculatum, 314.
Canadense, 314.
capitatum, 313, 314.
lineare, 324.
macrophyllum, 313, 314.
occidentale, 314.
Virginicum, 314.
Hymenena, 365.
Hymenopappus Nevadensis, 74.
Hypnea, 366.

## I.

Induction Coil, New, 381.
Integration, Graphical, 79.
Interferential Constant, 401.
Application in Quantitative Analysis, 408.
of alcohol, 404.
of carbonic disulphide, 404.
of glycerine and alcohol, 406.
of glycerine and water, 405.
of water, 404.
of various liquids, 411.
Iridæa, 370.

Iron, Magnetic susceptibility affected by Heat, 308.
Ivesia Webberi, 71.

J.

Jamin's Objections to Ampère's Theory answered, 445.
Jania, 364.
Jefferisite, Analyses of, 458.
Atomic ratio, 461.
Juglans Californica, 349.
rupestris, 349.

K.

Kallymenia phyllophora, 370.
Krynitzkia, 58.
leiocarpa, 59.
Kunzel's Cobalt Hyposulphate, 12, 13.

L.

Laminaria, 355.
Laurencia, 363.
Leathesia tuberiformis, 358.
Lenses placed obliquely, Foci of, 300.
Lessonia, 355.
Liagora, 367.
Liebmannia Leveillei, 358.
Light absorbed by the Sun's Atmosphere, 428.
of the Sky, 425.
transmitted by Glass Plates, 389.
Lithospermum, 50.
angustifolium, 51.
Bejariense, 51.
breviflorum, 51.
Californicum, 51.
canescens, 51.
circumscissum, 58.
hirtum, 51.
incisum, 51.
linearifolium, 51.
multiflorum, 51.
pilosum, 51.
plebeium, 53.
ruderale, 51.
sericeum, 51.
Lithothamnion polymorphum, 364.
Logical Analysis, Application to Multiple Algebra, 392.
Lomentaria, 364.
Lupinus Sileri, 345.
Lyngbya, 380.

M.

Macrocystis pyrifera, 354.
Magnetic Susceptibility of Iron as affected by Heat, 308.
Magnetism, Jamin's Objections to Ampère's Theory answered, 445.
Magneto-electric Machine, Tests of, 432.
Marine Algæ of United States, List of, 351.
Melanosiderite, 451.
Melobesia, 364.
Members, Foreign Honorary. *See* Foreign Honorary Members.
Mentzelia Torreyi, 72.
urens, 71.
Mertensia, 51.
alpina, 52, 53.
brevistyla, 52, 53.
Drummondii, 52, 53.
Fendleri, 52, 53.
lanceolata, 53.
maritima, 52.
oblongifolia, 53.
paniculata, 53.
pulmonarioides, 52.
Sibirica, 53.
Virginica, 52.
Mesogloia, 357.
Microcladia, 372.
Microcoleus corymbosus, 380.
Microgenetes, 326.
Cumingii, 327.
Miltitzia, 328.
lutea, 328.
Multiple Algebras, Resolutions of, 392.
Myosotis Californica, 57.
Chorisiana, 56.
cymosa, 57.
flaccida, 59.
fulva, 57.
leucophæa, 61.
muricata, 59.
nana, 56.
Scouleri, 56.
suffruticosa, 60.
tenella, 57.
Myrica Hartwegi, 350.
Myrionema strangulans, 358.
Myriotrichia filiformis, 358.

## N.

Nama, 313, 330.
Berlandieri, 331.
demissa, 329.
racemosa, 317.
stenocarpum, 331.
systyla, 316.
undulatum, 330, 331.
Nameæ, 313.
Nemalion multifidum, 367.
Nemastoma Bairdii, 372.
Nemophila, 312, 314.
atomaria, 315.
aurita, 315.
breviflora, 315.
discoidalis, 315.
evanescens, 315.
heterophylla, 315.
insignis, 314.
liniflora, 314.
maculata, 314.
Menziesii, 314.
microcalyx, 315.
parviflora, 315.
pedunculata, 314.
phacelioides, 315.
racemosa, 315
Nereocystis Lütkeana, 354.
Nitophyllum, 365.

## O.

Ocean Steamship Lanes, 468.
Odonthalia, 359.
Officers elected, 463.
Optical Constant, on a New, 401.
Orthostachys, 49.
Ourisia Californica, 330.

## P.

Padina, 356.
Pectocarya, 61.
lateriflora, 62.
penicillata, 61, 62.
Penicillus, 378.
Pentalophus longiflorus, 51.
Mandanensis, 51.
Petalonyx nitidus, 72.
Parryi, 72.
Thurberi, 72.
Peyssonnella, 366.
Phacelia, 312, 316.
bicolor, 327.
bipinnatifida, 320.
Phacelia Bolanderi, 322.
brachyantha, 318.
brachyloba, 324.
brevistylis, 320.
Breweri, 317.
canescens, 317.
cephalotes, 325.
ciliata, 319.
circinata, 317.
circinatiformis, 325.
congesta, 319.
crassifolia, 326, 328.
crenulata, 318.
Cumingii, 327.
curvipes, 325, 326.
Davidsonii, 324.
demissa, 326.
divaricata, 325.
Douglasii, 324.
fimbriata, 320,
Franklinii, 324.
Fremontii, 327.
glabra, 320.
glandulosa, 319.
grandiflora, 321.
hirsuta, 321.
humilis, 318.
hydrophylloides, 323.
infundibuliformis, 324.
integrifolia, 318.
Ivesiana, 327.
leucophylla, 317.
loasæfolia, 323.
longipes, 322.
malvæfolia, 318.
Menziesii, 324.
micrantha, 316, 327.
namatoides, 317.
Neo-Mexicana, 319.
Palmeri, 318.
Parryi, 322.
parviflora, 321.
patuliflora, 321.
pimpinelloides, 321.
Popei, 319.
procera, 323.
pulchella, 326.
Purshii, 320.
pusilla, 321, 326.
ramosissima, 319.
rotundifolia, 326.
sericea, 323.
strictiflora, 321.
tanacetifolia, 319.
viscida, 321.
Whitlavia, 322.

Phacelieæ, 312.
Phosphorus, its Distribution with Vanadium, 294.
Phyllophora, 368.
Phyllospora Menziesii, 353.
Physalis, Synopsis of Species, 62.
æquata, 64.
Alkekengi, 65.
angulata, 64.
angustifolia, 67.
atriplicifolia, 64.
Barbadensis, 64.
Brasiliensis, 64.
cardiophylla, 66.
chenopodifolia, 64.
crassifolia, 66.
decumbens, 67.
Elliottii, 68.
Fendleri, 66.
fusco-maculata, 67.
glabra, 65.
gracilis, 66.
grandiflora, 63.
hederæfolia, 65.
heterophylla, 65.
hirsuta, 65.
Jacquini, 67.
lanceolata, 67.
Linkiana, 64.
lobata, 63.
longifolia, 68.
maritima, 67.
mollis, 65, 66.
nyctaginea, 65.
obscura, 63, 65.
Pennsylvanica, 66, 67.
Philadelphica, 64.
pruinosa, 64.
pubescens, 64, 65, 67.
pumila, 67, 68.
tomentosa, 66, 67.
Virginica, 65.
viscido-pubescens, 65.
viscosa, 65, 67.
Wrightii, 63.
Pikea, 376.
Piptocalyx, 58.
circumscissus, 58.
Piptoclaina, 50.
Plagiobotrys, 57.
canescens, 57.
rufescens, 57.
Platanus Wrightii, 349.
Plocamium coccineum, 367.
Polemonium dubium, 321.
Polyphysa Cliftoni, 378.
Polyides rotundus, 366.
Polysiphonia, 360.
Populus Fremontii, 350.
Porphyra vulgaris, 378.
Postelsia palmæformis, 355.
Praseocobalt, 11.
Preslæa, 49.
parciflora, 50.
Prionitis, 372.
Prunus Andersonii, 70.
fasciculata, 70, 71.
glandulosa, 71.
microphylla, 71.
minutiflora, 71.
Pterygophora Californica, 355.
Ptilocalyx, 48.
Ptilota, 374.
Pulmonaria alpina, 53.
lanceolata, 53.
marginata, 53.
Punctaria, 357.
Purpureocobalt, 32.
Antimonio-chloride, 35.
Auro-chloride, 32.
Chloro-hydrargyrates, 33.
Dichromate, 36.
Neutral chromate, 35.

## Q.

Quantitative Analysis, Use of Interferential Constant in, 408.
Use of Spectroscope in, 420.

## R.

Ralfsia verrucosa, 358.
Ranunculus Lemmoni, 68.
oxynotus, 68.
Refractive Indices of Liquids, 411.
Measured without divided Instruments, 417.
Reports, 465, 468, 475, 476.
Rhabdonia, 368.
ramosissima, 371.
Rhodomela, 360.
Rhodymenia, 367.
Rivularia atra, 380.
Romanzoffia, 313, 330.
Sitchensis, 330.
Unalaschkensis, 330.
Rumford Committee, 465.
Appropriations by, 465, 467.
Rumford, Tomb of, 466, 467.

S.

Sadler's Cobalt Salts, 14.
Sagina decumbens, 345.
occidentalis, 344.
Saracha, 62.
acutifolia, 62.
Coronopus, 62.
nana, 62.
sordida, 62.
Sargassum, 353.
Schizymenia edulis, 370.
Schleidenia, 49, 50.
parciflora, 50.
Scinaria furcellata, 367.
Scirpus apus, 78.
Wolfii, 77.
Senecio Greenei, 75.
Silene, Synopsis of, 340.
acaulis, 340.
antirrhina, 340.
Bridgesii, 342.
Bolanderi, 341.
Californica, 341.
campanulata, 340, 341.
Douglasii, 341.
Greggii, 341.
Hookeri, 341.
incompta, 341.
laciniata, 341.
Lemmoni, 341, 342.
Lyallii, 340, 342.
Menziesii, 341.
monantha, 340.
montana, 341.
occidentalis, 341, 343.
Oregana, 341, 343.
pectinata, 341, 344.
Scouleri, 342.
Spaldingii, 342, 344.
Thurberi, 341.
verecunda, 341, 344.
Wrightii, 341.
Sky, Light of, 425.
Solanum coniodes, 62.
Coronopus, 62.
luteiflorum, 63.
Solar Motion in Space, 82.
Spectroscope, Use in Quantitative Analysis, 417.
Spermothamnion Turneri, 376.
Sphacelaria, 358.
Sphærozyga Carmichælii, 380.
Spyridia, 372.
Staphylea Bolanderi, 69.
Steamship Lanes, 468.
Stenogramma interrupta, 368.
Stilophora, 357.
Striaria attenuata, 357.
Sun's atmosphere, Light absorbed by, 428.

T.

Taonia Schrœderi, 353.
Thalassiophyllum Clathrus, 356.
Thamnidium Rothii, 376.
Thelesperma subnudum, 72.
subsimplicifolium, 72.
Thistles, Synopsis of, 39.
Tichocarpus crinitis, 372.
Tournefortia mollis, 50.
Tricardia, 312, 329.
Watsoni, 329.
Turbinaria vulgaris, 353.
Twilight, Intensity of, 421.

U.

Udotea, 377.
Ulva, 378, 379.
Urtica Breweri, 348.
dioica, 349.
gracilis, 349.
holosericea, 349.
Lyallii, 348.
trachycarpa, 349.

V.

Vanadic compounds in water, 298.
Vanadium, Diffusion with phosphorus, 294.
Vermiculites, Revision of, and new varieties, 453.
Villarsia pumila, 330.

W.

Water, Interferential Constant of, 404.
Vanadic compounds in, 298.
Whitlavia, 321.
grandiflora, 322.
minor, 322.
Wigandia Californica, 331.
Withania Coronopus, 62.
sordida, 62.
Wrangelia, 367, 376.
Wurdemannia setacea, 366.

## X.

Xanthocobalt, 13, 20.
Ammonio-cobalt-nitrate, 31.
Auro-chloride, 23.
Bromide, 31.
Bromo-nitrate, 24.
Chloride, 26.
Chloro-nitrate, 22.
Chromate, 27.
Dichromate, 27.
Ferrocyanide, 32.
Hydrargyro-chloride, 32.
Hyperiodosulphate, 28.
Iodide, 31.
Iodosulphates, 28.
Nitrate, 32.
Nitrite, 29.
Oxalate, 31.
Platino-chloride, 24.
Sulphate, 32.

## Z.

Zonaria, 356.

Cambridge: Press of John Wilson & Son.